MATERIAL SAFETY DATA SHEET

MOL-LUB Ltd.

Tr	Trade name: MOL Dynamic Garden 4T 10W-30 small garden motor oil								
	ersion: 3	Latest revisior			Date of issue:	e	Page: 1/(8)		
1.	Identifica	tion of the subs	tance / prej	paratior	and of the co	mpany			
	Product na			-					
		pe / recommend cation / small ga		oil					
	Manufacturer / Supplier identification: MOL-LUB Lubricant Production Trade and Service Limited Liability Company H-2931 Almásfüzitő, Fő u. 21., Hungary Phone / Fax: +36 34 526 330 / +36 34 526 391								
	Request SDS of: MOL-LUB Lubricant Production Trade and Service Limited Liability Company Customer Service Center H-2931 Almásfüzitő, Fő u. 21., Hungary Phone / Fax: +36 80 201 296 / +36 34 348 010								
	Responsible for SDS: MOL-LUB Ltd. Csaba Horváth, head of HSE and QOP Phone: +36 34 526 343; Mobile: +36 20 474 2644 e-mail: csahorvath@mol.hu								
	Technical information: MOL-LUB Ltd. Product Development and Technical Service H-1117 Budapest, Október huszonharmadika u. 18., Hungary Phone/Fax: +36 80 201 296 or +36 1 464 0236 / +36 1 464 0304								
	Emergency telephone (07-15 ²⁰ h): +36 34 526 210 Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.) Tel.: +36 1 476 6464, or +36 80 201 199								
2.	Hazards i	dentification							
	Human he	alth hazards:		Prolong and/or	ed and/or repe skin sensibiliz		y cause irritation ng on individual ent).		
	Safety haz	ards:	Danger sy	mbol no	t required.				
	Environme	ental hazards:		Spills r	-		surfaces causing		

Trade name: MOL Dynamic Garden 4T 10W-30 small garden motor oil

Version: 3 Latest revision: 24. 01. 2008

Date of issue: 20. 06. 2007

Page: 2/(8)

3. Composition / information on ingredients

Chemical description: Mixture of refined mineral base oils containing additives.

				-	
Ingredients / Hazardous com	ponents:				
Name	EINECS	CAS	Hazard	Risk phrase	Conc.
	number	number	symbol		%(m/m)
Lubricating oils (petroleum), C17-C32*	309-875-6	101316-70-5	-	-	max. 25
Lubricating oils (petroleum), C24-C50*	309-877-7	101316-72-7	-	-	max. 10
Base oil – unspecified, hydrotreated heavy paraffinic, C20-C-50*	265-157-1	64742-54-7	-	-	max. 60
Hydrocarbon polymer			-	R 53	max. 1.5
Polyolefin polyamine succinimide, polyol	polymer		-	R 53	max, 2.4
Zinc alkyl dithiophosphate	272-028-3	68649-42-3	Xi, N	R 41, R 51/53	max. 0.9
Polyalkyl arylamine	270-128-1	68411-46-1	Ν	R 51/53	max. 0.7
Calcium long chain alkaryl sulphonate	271-877-7 and 290-636-7	68610-84-4 and 90194-636-7	Xi	R 43, R 53	max. 0.6
Branched alkyphenol and calcium alkylphenol	confidential		Xi, Xn, N	R 38, R 62 (Repr.3.cat), R 50/53	max. 0.11
Alkenoic acid ester, borated	confidential		Xi, N	R 38, R 51/53	max. 0.45
*: with exposure limit					

The full text of each relevant R phrase see in Section 16.

4. First aid measures

General inform	nation: Never give anything by mouth to an unconscious person, or never induce vomiting.
Inhalation:	Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.
Skin contact:	Wash skin with large amounts of water, use soap. Remove contaminated clothing. In case of persistent irritation, get medical attention.
Eye contact:	Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.
Ingestion:	If swallowed, give water. Do not induce vomiting. Get medical attention.
Note to physic	an:

T1	ade name:	MOL Dynamic Garden	4T 10W-30 small garden m	notor oil					
Ve	ersion: 3	Latest revision: 24. 01. 2008	Date of issue: 20. 06. 2007	Page: 3/(8)					
5.	Fire-fighti	ing measures							
	Fire hazaro Moder	ls: rately hazardous (see also Section	n 9 - flash point).						
	Suitable extinguishing media: Foam, carbon dioxide, dry chemical powder.								
	Unsuitable Water	extinguishing media: jet.							
	On bu	decomposition products: rning, carbon monoxide, carbon s, various hydrocarbons, calcium	dioxide, sulphur oxides, nitrogen oxide and soot can be formed.	oxides, phosphor					
Special protective equipment: According to the existing fire-fighting regulations.									
	Further inf -	ormation:							
6.	Accidenta	l release measures							
	Personal p See Se	recautions: ection 8.							
	Preven		ral water, soil and drains by conta remove. Notify relevant authority.	ining the liquid.					
	Clean-up p On soi		th sand, earth or other suitable abs Dispose of according to local regula						
	On wa		Remove from surface by skimm authorities according to regulations	-					
7.	Handling	and storage							
	Keep require When	away from radiant heat and open general measures applied for ements. using do not eat, drink or smoke ing temperature:	normal operations with lubrica	nts. No special					

	rade name: MOL Dynam	ic Garden 4	T 10W-30 small garden m	notor oil			
Ve	ersion: 3 Latest revision: 24	. 01. 2008	Date of issue: 20. 06. 2007	Page: 4/(8)			
	Storage: Store in dry, well ventilate Keep away from radiant h Storage temperature: max	eat, open flam	ginal, closed containers. e and strong oxidizing agents.				
8.	 Exposure controls / personal protection Engineering control measures: Not required. 						
	Exposure limits:						
	Mineral oil mist:		g/m^3 ; STEL: 10 mg/m ³ , for c	oil mist, vapour			
	Method of testing, recomm	excluded (ACGIH). Method of testing, recommended: NIOSH 5026					
Personal protection: Respiratory protection:Breathing apparatus not required.Hand protection:Oil resistant gloves (EN 374, Breakthrough tim Permeation performance level: 6) (e.g. nitril- minimal thickness 0.33 mm).Eye protection:Protective goggles not required.Skin protection:Protective clothing (oil resistant).Other special:General protective measures / hygiene: Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours o Ensure washing facilities after working hours and before breaks. Take off c or oil-soaked clothing, wash with warm water and soap.Environmental exposure controls:Environmental exposure controls:							
9.	Physical and chemical prope	rties					
	Appearance:		liquid				
	Physical state: Colour:		liquid brown, clear				
	Odour:		characteristic				
	Change in physical state: Pour point (ISO 3016): Boiling point:		typ33°C				

Tra	de name:	MOL Dynam	nic Garden 4	T 10W	/-30	small ga	arden m	otor oil	
Ver	sion: 3 I	atest revision: 2	4. 01. 2008	Date	of issu	ue: 20. 06.	2007	Page: 5/(8)	
	0.1								
	Others:	$-\frac{1}{2}$		4	22000				
	Flash point (COC) (EN ISO 2592): Ignition point (EN ISO 2592):				typ. 230°C				
	e	- 、	· ·						
	-	nition temperatur	e:						
	-	ve properties: ng properties:			not	explosive			
	Vapour	ч.		naal	igible				
	1	O 12185):		•	ligible	m ³			
	5	0 12185).			0.865 g/ci tically ins		watar		
		ity in water:	onto:		-	oline, kero			
		ity in other solve nol/water partitic			0	available	sone, totu	une, etc.	
		density:				available			
	-	ation rate:				available			
	-	g value:					ka		
	•		0°C (EN ISO 3104): typ. '		inf. 38 000 kJ/kg typ. 77,7 mm ² /s typ. 11.7 mm ² /s				
		2							
	pH:	not applicable							
10.	Stability and reactivity								
	Stability:		No decomposition if stored and handled properly.						
	Conditions	to avoid:	Direct heat or ignition sources.						
	Materials to	avoid:	Strong oxidizing agents.						
	Hazardous decomposition products:		On burning, carbon monoxide, carbon dioxide, sulphur oxides, nitrogen oxides, phosphor oxides, various hydrocarbons, calcium oxide and soot can be formed.						
	Notes:								
11.	Toxicologic	al information							
	Δ cute toxic	ity.							
	Acute toxicity: Oral:		LD_{50} (rat) > 20		000	mg/kg	(based a	on components)	
	Dermal	-	LD_{50} (rat) LD_{50} (rabbit)		000	mg/kg	·	on components)	
	Dennal.			- 2	000	111 <u>6</u> / Kg	(bused)	on components)	
	Acute toxicity: irritation								
	Skin:	not irrit	ant (based on co	mponei	nts)				
	Eye:	not irrit	ant (based on co	mponer	nts)				
	Note:	•	ed and/or repeated contact may cause irritation and/or skin zation, depending on individual sensitivity (see also Protective						

Tra	de name: MO	L Dynamic Gai	rden 4T 10W-30 small garden m	otor oil				
Ver	sion: 3 Latest 1	revision: 24. 01. 20	Date of issue: 20. 06. 2007	Page: 6/(8)				
	Sensitization:	not sensitising reaction	(based on components), but may prod	uce an allergic				
	Chronic toxicity:	not known						
	-	-	PCBs, PCTs, and other chlorine compo	unds, and heavy				
		/	han 3% DMSO extract (IP 346), therefore to 67/548/EEC NOTE L.	ore not classified				
	Carcinogen e	ffect:	not known, resp. not carcinoge components)	n (based on				
	Mutagen effe Reproduction	ct: -damaging effect:	not known, resp. not mutagen (based o not known, resp. no reproduction-d (based on components)					
2.	Ecological information							
	Mobility:		Floats on water. Absorbs on soil.					
	Degradability / pe	rsistence:						
	Biodegradabi	2						
	Bioaccumulative p	ootential:						
	Ecotoxicity:		Not available.					
	Aquatic organ							
	Soil organism	IS:						
	Plants:							
	Biological oxygen							
	Chemical oxygen Heavy metal conte		None.					
	PCT, PCB and oth		None.					
	hydrocarbons:		Tone.					
	Environmental eff	ects:	Spills may form a film on water s impaired oxygen transfer.	surfaces causing				
	Water hazard class	s (German):	1 50					
13.	Disposal conside	rations						
	Product disposal:							
	Wastes of the	-	il should be treated as hazardous waste.					
	EWC cod: 13							
			engine, gear and lubricating oils.					
	Disposal mus	t be in compliance	with national and local regulations.					

	rsion: 3 L	atest revisi	on: 24. 01. 2008	Date of issue: 20. 06. 2007	Page: 7/(8)				
	nationa EWC co Packagi	lers with provident of the second sec	disposal regulations 0* ing residues of or co	d also be treated as hazardous w ontaminated by dangerous substa national and local regulations.					
	Wastewater: Quality of wastewater emitted to natural water must comply with national and local regulations.Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.								
14.	Transport information								
	Land transpo Road/ R		ADR/I	RID: Not classified	l.				
	Waterways: Inland wa	aterways/ S	ea transport ADN/	IMDG: Not classified	l.				
	Air transport	t: ICAO/	IATA:	Not classified	l.				
15.	Regulatory	informati	on						
	Classification and labelling according to EU directives [67/548/EEC and 88/379/EEC 1999/45/EC (existing versions)] and to Hungarian regulation [44/2000. (XII. 27.) EüN rendelet (existing version)] for hazardous substances and hazardous preparations:								
		isting versi	on)] for hazardous s	1 1					
	rendelet (ex	e	on) for nazardous s indication(s):	1 1	Not required.				
	rendelet (ex	bol(s) and	indication(s):	1 1					
	rendelet (ex Danger sym Hazardous s	bol(s) and ubstance(s	indication(s):	1 1	<i>Not required.</i> Ilkaryl sulphonate.				
	rendelet (ex Danger sym Hazardous s	bol(s) and ubstance(s	indication(s):): ar the inscription:	- Contains calcium long chain a	Not required. Ikaryl sulphonate.				
	rendelet (ex Danger sym Hazardous s The packagi	bol(s) and ubstance(s ng must be	indication(s):): ar the inscription: uired. Avoid contact wit	- Contains calcium long chain a May produce an allergic reaction th skin I its container must be disposed	Not required. Ilkaryl sulphonate. on.				

Trade name: MOL Dynamic Garden 4T 10W-30 small garden motor oil

Version: 3 Latest revision: 24. 01. 2008 Date

Date of issue: 20. 06. 2007

Page: 8/(8)

16. Other information

Recommended application / restrictions: See product sheets.

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

This safety data sheet has been prepared according to Regulation (EC) No 1907/2006, Directives 88/379/EEC and 1999/45/EC.

Source of data presented in this material safety data sheet:

Test results of this product

Material safety data sheets of product's components Hungarian and EU lists of dangerous substances Relevant Hungarian regulation and EU directives CONCAWE database

The full text of each relevant R phrase in Section 3.:

- R 41 Risk of serious damage to eyes
- R 43 May cause sensitisation by skin contact
- R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
- R 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
- R 53 May cause long-term adverse effects in the aquatic environment
- R 62 Possible risk of impaired fertility

Revision Indicators:

Section	Subject of change	Date	Version
9	Physical and chemical properties	16.11.2007	2
3	Composition / information on ingredients	24.01.2008	3