



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral 5W-30 synthetic diesel engine oil**

Version: 3 Latest revision: 14. 09. 2015 Date of issue: 22. 06. 2012 Page: 1/(14)

Section 1 Identification of the mixture and of the company/undertaking

1.1 Product identifier:

MOL Dynamic Mistral 5W-30 synthetic diesel engine oil

1.2 Relevant identified uses of the mixture and uses advised against

Relevant identified uses: synthetic diesel engine oil

Uses advised against: no data

1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL-LUB Ltd. Csaba Horváth, head of SD, HSE & Business Support

Phone: +36 34 526 343; Mobile: +36 20 474 2644

e-mail: csahorvath@mol.hu

1.4 Emergency telephone number

Emergency telephone (07-15²⁰ h): +36 34 526 210 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: +36 1 476 6464, or +36 80 201 199

National Health Toxicological Information Service:



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral 5W-30 synthetic diesel engine oil**

Version: 3 Latest revision: 14. 09. 2015 Date of issue: 22. 06. 2012 Page: 2/(14)

Section 2 Hazards identification

2.1 Classification of the mixture

Classification of the mixture according to regulation (EC) No 1272/2008

Hazard Class and Category: Hazard statement:

Eye Irrit. 2 H319 Causes serious eye irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements ((EC) No 1272/2008)

Product identification: Trade name: **MOL Dynamic Mistral 5W-30 synthetic diesel engine oil**

Hazardous component(s): -

GHS Pictogram:



Signal word: **Warning**

Hazard statement:

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Supplemental hazard information: -

Precautionary statements – General: -

Precautionary statements – Prevention:

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing, eye protection/face protection.

Precautionary statements – Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Precautionary statements – Storage: -



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral 5W-30 synthetic diesel engine oil**

Version: 3 Latest revision: 14. 09. 2015 Date of issue: 22. 06. 2012 Page: 3/(14)

Precautionary statements – Disposal:

P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.

Transport classification: see section 14.

2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.

Section 3 Composition/information on ingredients

3.2 Mixtures

Chemical description: Mixture of synthetic oil and refined mineral oils containing additives.

Component(s) / Hazardous component(s):

Name	EU number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Base oil – unspecified, hydrotreated heavy paraffinic, C20-C50* REACH Registr. Nr.: 01-2119474889-13-000	265-157-1	64742-54-7	Asp. Tox. 1 (Note L)	H304	max. 40
Lubricating oils (petroleum), C 20-50, hydrotreated neutral oil-based; REACH Regisztr. szám: 01-2119484627-25-0031	276-738-4	72623-87-1	Asp.Tox.1 (Note L)	H304	max. 40
1-Decene Homopolymer, Hydrogenated REACH Registr.Nr.: 01-2119486452-34-0000	500-183-1	68037-01-4	-	-	max. 30
Mineral oil raffinate*		confidenatial	- (Note L)	-	max. 25



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral 5W-30 synthetic diesel engine oil**

Version: 3 Latest revision: 14. 09. 2015 Date of issue: 22. 06. 2012 Page: 4/(14)

Name	EU number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Zinc dialkyl dithiophosphate REACH Registr.Nr.: 01-2119953275-34	218-679-9	2215-35-2	Eye Dam. 1 Skin Irrit. 2 Aquatic Chronic 2	H318 H315 H411	max. 1
Butanedioic acid, 2,3-dihydroxy-, mixed C12-C16-alkyl and C13rich, C11-C14 isoalkyl diesters REACH Registr.Nr.: 01-0000020152-85	482-100-8		Eye Dam. 1	H318	max. 1
Zinc alkyl dithiophosphate REACH Registr.Nr.: 01-2119493626-26	283-392-8	84605-29-8	Skin Irrit 2 Eye Dam. 1 Aquatic Chronic 2	H315 H318 H411	max. 0.2
Dodecylphenol, mixed isomers (branched) REACH Registr.Nr.: 01-2119513207-49	310-154-3		Skin Irrit 2 Eye Dam. 1 Aquatic Chronic 2	H315 H318 H411	max. 0.2
Diphenylamine	204-539-4	122-39-4	STOT RE 2 Acute Tox. 3 Acute Tox. 3 Acute Tox. 3 Aquatic Acute 1 Aquatic Chronic 1	H373 H301 H311 H331 H400 H410	max. 0.2

*: with exposure limit

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

Section 4 First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur, obtain medical attention.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral 5W-30 synthetic diesel engine oil**

Version: 3 Latest revision: 14. 09. 2015 Date of issue: 22. 06. 2012 Page: 5/(14)

Skin contact: Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention.

Eye contact: Immediately flush eyes with large amounts of water for at least 15 minutes. In case of persistent irritation, get medical attention.

Ingestion: If swallowed, give water. **Do not** induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

4.2 Most important symptoms and effects, both acute and delayed
Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment need
Not required.

Section 5 Fire-fighting measures

Fire hazards:
Combustible

5.1 Extinguishing media
Suitable extinguishing media:
Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:
Water jet.

5.2 Special hazards arising from the mixture
Hazardous combustion products:
On burning, carbon dioxide, carbon monoxide, sulphur oxide, phosphor oxides various hydrocarbons and soot can be formed.

5.3 Advice for fire-fighters
Special protective equipment:
According to the existing fire-fighting regulations. Respiratory protection.

Further information:

-



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral 5W-30 synthetic diesel engine oil**

Version: 3 Latest revision: 14. 09. 2015 Date of issue: 22. 06. 2012 Page: 6/(14)

Section 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
Personal precautions: see Section 8.
- 6.2 Environmental precautions:
Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.
- 6.3 Methods and material for containment and cleaning up
On soil: All kind of ignition sources should be remove. Contain spilled liquid with sand, earth or other suitable absorbents. Recover free liquid by pumping. Dispose of according to local regulations.
On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.
- 6.4 Reference to other sections
Personal precautions: see section 8.
Waste treatment methods: see section 13.

Section 7 Handling and storage

- 7.1 Precautions for safe handling
Keep general measures applied for normal operations with lubricants and flammable liquids.
Keep away from radiant heat and open flame.
Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.
Ensure washing facilities after working hours and before breaks. Take off contaminated or oil-soaked clothing, wash with warm water and soap.
When using do not eat, drink or smoke. Avoid splashing the product.
Handling temperature: not known
- 7.2 Conditions for safe storage, including any incompatibilities
Storage facilities must comply with regulations for storing of flammable liquids.
Store in dry, well ventilated place in original, closed containers.
Keep away from radiant heat, open flame and strong oxidizing agents.
Storage temperature: max. 40°C
- 7.3 Specific end use(s)
Synthetic diesel engine oil.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral 5W-30 synthetic diesel engine oil**

Version: 3 Latest revision: 14. 09. 2015 Date of issue: 22. 06. 2012 Page: 7/(14)

Section 8 Exposure controls / personal protection

Engineering control measures:
Not required.

8.1 Control parameters:

Mineral oil mist: TWA: **5 mg/m³**; STEL: 10 mg/m³, for oil mist, vapour excluded (ACGIH).

Method of testing, recommended: NIOSH 5026

8.2 Exposure controls

Personal protection:

Respiratory protection: Breathing apparatus not required.

Hand protection: Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g. nitrile rubber – minimal thickness 0.33 mm).

Note: Manufacturer's directions for use and the conditions of application should be observed.

Eye protection: Where splashing is possible, wear safety glasses with side shields.

Skin protection: Protective clothing (oil resistant).

Other special: no data

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

Section 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Physical state: liquid

Colour: brown, clear

Odour: characteristic

Change in physical state:

Pour point (ISO 3016): typ. -40°C

Boiling point: not available

Others:

Flash point (COC) (EN ISO 2592): typ. 220°C

Ignition point (EN ISO 2592): not available

Autoignition temperature: not available

Explosive properties: not explosive

Oxidizing properties: not oxidize



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral 5W-30 synthetic diesel engine oil**

Version: 3 Latest revision: 14. 09. 2015 Date of issue: 22. 06. 2012 Page: 8/(14)

Vapour pressure at 20°C:	negligible
Density at 15°C (EN ISO 12185):	0.848-0.862 g/cm ³
Solubility in water:	practically insoluble in water
Solubility in other solvents:	gasoline, kerosene, toluene, etc.
n-Octanol/water partition coefficient:	not available
Vapour density:	not available
Heating value:	inf. 38 000 kJ/kg
Kinematic viscosity at 40°C (EN ISO 3104):	typ. 69.2 mm ² /s
Kinematic viscosity at 100°C (EN ISO 3104):	typ. 11.7 mm ² /s
pH:	not applicable

9.2 Other information

no data available

Section 10 Stability and reactivity

10.1 Reactivity:	Dangerous reactivity not known.
10.2 Chemical stability:	No decomposition if stored and handled properly.
10.3 Possibility of hazardous reactions:	Not known.
10.4 Conditions to avoid:	Direct heat or ignition sources.
10.5 Incompatible materials:	Strong oxidizing agents.
10.6 Hazardous decomposition products:	No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.

Section 11 Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Oral:	LD ₅₀ (rat)	> 2000	mg/kg	(based on components)
Dermal:	LD ₅₀ (rabbit)	> 2000	mg/kg	(based on components)

Acute toxicity: irritation

Skin:	not irritant (based on components)
Note:	Prolonged and/or repeated contact may cause irritation on skin or depending on individual sensitivity.
Eye:	irritant (based on components), causes serious eye irritation

Respiratory or skin sensitisation: not sensitising (based on components)



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral 5W-30 synthetic diesel engine oil**

Version: 3 Latest revision: 14. 09. 2015 Date of issue: 22. 06. 2012 Page: 9/(14)

Other information, specific effects:

The product does not contain PCBs, PCTs, and other chlorine compounds, and heavy metals, barium compounds.

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

Germ cell mutagenicity:	not known, resp. not mutagen (based on components)
Carcinogenicity:	not known, resp. not carcinogen (based on components)
Reproductive toxicity:	not known, resp. no reproduction-damaging effect (based on components)
STOT-single exposure:	not known
STOT-repeated exposure:	not known
Aspiration hazard:	not known

Section 12 Ecological information

12.1 Toxicity	No data for the product.
Aquatic organisms:	
Soil organisms:	
Plants:	
12.2 Persistence and degradability	No data available.
Biodegradability:	No data available.
12.3 Bioaccumulative potential	No data available.
12.4 Mobility	
Mobility in soil	Absorbs in soil.
Mobility in water:	Floats on water.
12.5 Results of PBT and vPvB assessment	Does not contain PBT and vPvB substances.
12.6 Other adverse effects	
Heavy metal content:	None.
PCT, PCB and other chlorinated hydrocarbons:	None.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral 5W-30 synthetic diesel engine oil**

Version: 3 Latest revision: 14. 09. 2015 Date of issue: 22. 06. 2012 Page: 10/(14)

Environmental effects: Harmful to aquatic life with long lasting effects.
Water hazard class (German): WGK 2 (Classification by VwVwS)

Section 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 05*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

Section 14 Transport information

Land transport:

Road/ Railway

ADR/RID:

Not classified.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral 5W-30 synthetic diesel engine oil**

Version: 3 Latest revision: 14. 09. 2015 Date of issue: 22. 06. 2012 Page: 11/(14)

- 14.1. UN number: -
- 14.2. UN proper shipping name: -
- 14.3. Transport hazard class(es): -
- 14.4. Packing group: -
- 14.5. Environmental hazards: -
- 14.6. Special precautions for user: -

Waterways:

Inland waterways/ Sea transport ADN/IMDG: Not apply to the product.

Air transport: ICAO / IATA: Not apply to the product.

Section 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the mixture.

This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (applicable version) and to Regulation (EC) 1272/2008.

15.2 Chemical safety assessment.
not available

Section 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet:

Test results of this product

Material safety data sheets of product's components

Hungarian and EU lists of dangerous substances

Relevant Hungarian regulation and EU directives



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral 5W-30 synthetic diesel engine oil**

Version: 3 Latest revision: 14. 09. 2015 Date of issue: 22. 06. 2012 Page: 12/(14)

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 (CLP)

Eye Irrit. 2 H319 calculated

Aquatic Chronic 3 H412 calculated

The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:

H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Acute Tox. 3	Acute toxicity Category 3
Asp.Tox.1	Aspiration hazard Category 1
Acute Tox. 3	Acute toxicity Category 3
Skin Irrit. 2	Skin corrosion/irritation Category 2
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Acute Tox. 3	Acute toxicity Category 3
STOT RE 2	Specific target organ toxicity – repeated exposure Category 2
Aquatic Acute 1	Hazardous to the aquatic environment, Acute Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, Chronic Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, Chronic Category 2

Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral 5W-30 synthetic diesel engine oil**

Version: 3 Latest revision: 14. 09. 2015 Date of issue: 22. 06. 2012 Page: 13/(14)

C&L	Classification and Labeling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (1272/2008/EC)
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ec _x	Effective Concentration x%
ErC ₅₀	EC ₅₀ in terms of reduction of growth rate
Ed _x	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
ESIS	European Chemical Substances Information System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC _x	Lethal Concentration x%
LD _x	Lethal Dose x%) Halálos dózis x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL Dynamic Mistral 5W-30 synthetic diesel engine oil**

Version: 3 Latest revision: 14. 09. 2015 Date of issue: 22. 06. 2012 Page: 14/(14)

Revision Indicators:

Section	Subject of change	Date	Version
3. 1-16.	Composition/information on ingredients Regulatory information, other corrections	17.12.2014	2
1 3. 12. 1-16	Details of the supplier of the safety data sheet, Responsible for SDS Composition/information on ingredients Ecological information Other corrections, revision modification according to 1272/2008/EC and 2015/830 /EU	14.09.2015	3