

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Moto Chain O-X moto chain spray with teflon

Version: 7 Latest revision: 25. 01. 2019 Date of issue: 16. 04. 2008 Page: 1/(15)

## SECTION 1 Identification of the mixture/substance and of the company/undertaking

1.1 Product identifier:

## MOL Dynamic Moto Chain O-X moto chain spray with teflon

1.2 Relevant identified uses of the mixture or substance and uses advised against

Relevant identified uses: moto chain spray with Teflon.

Uses advised against: no data.

1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Distribution and Service Ltd.

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Distribution and Service Ltd.

**Customer Service Center** 

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL-LUB Ltd. Csaba Horváth, head of SD, HSE & Business Support

Phone: +36 34 526 343; Mobile: +36 20 474 2644

E-mail: csahorvath@mol.hu

1.4 Emergency telephone number

Emergency telephone (07-15<sup>20</sup> h): +36 34 526 210 (CET) on workdays

Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.)

Tel.: +36 80 201 199 (0-24 h, free number).

National Health Toxicological Information Service:

#### **SECTION 2** Hazards identification

2.1 Classification of the <u>mixture</u> or substance

Hazard Class and Category: Hazard statement:

Aerosol 1 H222 Extremely flammable aerosol.

Aerosol 1 H229 Pressurised container: May burst if heated.
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

STOT SE 3 H336 May cause drowsiness or dizziness.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Moto Chain O-X moto chain spray with teflon

Version: 7 Latest revision: 25. 01. 2019 Date of issue: 16. 04. 2008 Page: 2/(15)

#### 2.2 Label elements

Product identification:

Trade name: MOL Dynamic Moto Chain O-X moto chain spray with teflon

Hazardous components: n-Pentane (CAS Nr.: 109-66-0)

Pictogram:





Signal word: **Danger** 

Hazard statement:

**H222** Extremely flammable aerosol.

**H229** Pressurised container: May burst if heated.

**H336** May cause drowsiness or dizziness.

**H411** Toxic to aquatic life with long lasting effects.

Supplemental hazard information: -

Precautionary statements – General:

**P101** If medical advice is needed, have product container or label at hand.

Precautionary statements – Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

**P211** Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.P261 Avoid breathing vapours, spray.

**P271** Use only outdoors or in a well-ventilated area.

**P273** Avoid release to the environment.

Precautionary statements – Response:

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

Precautionary statements – Storage:

P405 Store locked up.

**P410** + **P412** Protect from sunlight. Do no expose to temperatures exceeding 50°C/

122°F.





MOL Dynamic Moto Chain O-X moto chain spray with teflon Trade name:

Version: 7 Latest revision: 25. 01. 2019 Date of issue: 16. 04. 2008 Page: 3/(15)

Precautionary statements – Disposal:

P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: in case of distribution for population.

Transport classification: see section 14.

#### 2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006.

#### **SECTION 3** Composition/information on ingredients

#### 3.2 Mixtures

Chemical description: Mixture of high refined mineral base oil, synthetic oil, solvent,

additives with propane and butane propellant.

Component / Hazardous component(s):

Name	EU number	CAS number	Hazard classes and cat.	Hazard statements	Conc. %(m/m)
Propane REACH Registr. Nr.: 01-2119486944-21	200-827-9	74-98-6	Flam. Gas 1 Press Gas	H220 H281	max. 45
Butane REACH Registr. Nr.: 01-2119474691-32	203-448-7	106-97-8	Flam. Gas 1 Press Gas	H220 H281	max. 45
n-Pentane REACH Registr. Nr.: 01-2119459286-30	203-692-4	109-66-0	Flam. Liq. 2 Asp. Tox. 1 STOT SE 3 Aquatic Chronic 2	H225 H304 H336 H411 EUH066	max. 40
Synthetic oil (polybutene) REACH Registr. Nr.: 01-2119493067-32	500-004-7	9003-29-6	-	-	max. 15
White mineral oil (petroleum) REACH Registr. Nr.: 05-2114111021-79	232-455-8	8042-47-5	-	-	max. 6.0
Polyisobutenyl succinimide REACH Registr. Nr.: no data	617-593-2	84605-20-9	Skin Irrit. 2 Eye Irrit. 2	H315 H319	max. 2.0





Trade name: MOL Dynamic Moto Chain O-X moto chain spray with teflon

Version: 7 Latest revision: 25. 01. 2019 Date of issue: 16. 04. 2008 Page: 4/(15)

\* with exposure limit

The full text of each relevant H phrase sees in Section 16.

#### **SECTION 4** First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never

induce vomiting.

Inhalation: Remove the affected person to fresh air. If rapid recovery does not occur,

obtain medical attention. Place patient in recovery position and transport

accordingly.

Skin contact: Wash with plenty amount of water, using soap. In case of persistent irritation,

get medical advice.

Eye contact: Flush immediately with plenty of running water for at least 15 minutes,

holding the eyelids open. Get medical attention.

Ingestion: Not applicable under normal conditions (aerosol).

In case of ingestion **do not** induce vomiting. Get prompt medical attention.

Protection of first-aid person: No individual specifications.

4.2 Most important symptoms and effects, both acute and delayed Vapours may cause drowsiness and dizziness.

4.3 Indication of any immediate medical attention and special treatment need In case of ingestion.

#### **SECTION 5** Fire-fighting measures

Fire hazards:

Explosive

Pressurized container.

Product can form flammable/explosive vapour-air mixtures.



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Moto Chain O-X moto chain spray with teflon

Version: 7 Latest revision: 25. 01. 2019 Date of issue: 16. 04. 2008 Page: 5/(15)

### 5.1 Extinguishing media

Suitable extinguishing media:

Carbon dioxide, dry chemical powder, water spray.

Unsuitable extinguishing media:

Water jet.

5.2 Special hazards arising from the mixture or substance

Hazardous decomposition products:

On burning, carbon monoxide, carbon dioxide, various hydrocarbons can be formed.

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Wear a self-contained breathing apparatus and full turnout gear.

#### Further information:

Product can form flammable/explosive vapour-air mixtures.

The closed containers may rupture with explosive force.

Water spray for cooling.

#### **SECTION 6** Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions:

See Section 8.

Sufficient ventilation should be provided.

Keep persons not involved in rescue at a distance.

Danger of slipping on leaked out/spilled product.

# 6.2 Environmental precautions:

Prevent spills from entering into natural water, soil and drains by containing the liquid. Notify relevant authority.

6.3 Methods and material for containment and cleaning up

Remove all sources of ignition. Ensure adequate ventilation. Collect the damaged containers to safe place. Observe the usual precautionary measures for handling and dispose of explosive materials.

Contain spilled liquid with suitable absorbents and place in suitable containers for disposal (dangerous waste).



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Moto Chain O-X moto chain spray with teflon

Version: 7 Latest revision: 25. 01. 2019 Date of issue: 16. 04. 2008 Page: 6/(15)

#### 6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

## **SECTION 7** Handling and storage

## 7.1 Precautions for safe handling

Keep general measures applied for normal operations with flammable- and explosive materials.

Ensure adequate ventilation.

Do not spray on an open flame or other ignition source.

Keep away from other ignition sources. No smoking.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C.

Do not pierce or burn, even after use.

Avoid breathing aerosol. Avoid contact with eyes and skin.

Ensure washing facilities after working hours and before breaks.

Take off contaminated clothing and wash it before reuse.

When using do not eat, drink or smoke.

Handling temperature: max. 40°C.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in dry, well ventilated place in original, closed containers.

Keep general measures applied for normal operations with flammable-, explosive and pressurized container materials.

Keep away from direct heat, ignition sources and strong oxidizing agents.

Recommended storage temperature: max. 40°C

## 7.3 Specific end use(s)

Moto chain spray with teflon.

#### **SECTION 8** Exposure controls / personal protection

Engineering control measures:

Adequate ventilation.



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Moto Chain O-X moto chain spray with teflon

Version: 7 Latest revision: 25. 01. 2019 Date of issue: 16. 04. 2008 Page: 7/(15)

8.1 Control parameters:

Butane: Not established.

n-Pentane TWA (8 h): 3000 mg/m<sup>3</sup>

8.2 Exposure controls

Personal protection:

Respiratory protection: Breathing apparatus not required in case of adequate

ventilation.

When concentrations in air may exceed the limits given in this section, it is recommended to use a half face filter mask

to protect from overexposure by inhalation.

Hand protection: Chemically/oil resistant gloves (EN 374), in case of

permanent exposure.

Note: Manufacturer's directions for use and the conditions of

application should be observed.

Eye protection: Protective goggles not required.

Skin protection: Protective clothing.

Other special:

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

## **SECTION 9** Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:

Physical state: viscous liquid (mixture without PB gas)

Colour: white Odour: typical

Change in physical state:

Boiling point (DIN 51356): not available

Others:

Flash point: < -40°C
Ignition point (EN ISO 2592): not available
Autoignition temperature: not available
Explosive properties: Product can form

flammable/explosive vapour-air

mixtures.



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Moto Chain O-X moto chain spray with teflon

Version: 7 Latest revision: 25. 01. 2019 Date of issue: 16. 04. 2008 Page: 8/(15)

Oxidizing properties: not available Vapour pressure at 20°C: not available

Density at 15°C (EN ISO 12185): typ. 0,721 g/cm<sup>3</sup> (mixture without PB

gas)

Solubility in water: practically insoluble in water Solubility in other solvents: gasoline, kerosene, toluene, etc.

n-Octanol/water partition coefficient:

Vapour density:

Evaporation rate:

Kinematic viscosity at 40°C (EN ISO 3104):

pH:

not available
not available
not available
not applicable

9.2 Other information

no data available

## **SECTION 10** Stability and reactivity

10.1 Reactivity: Dangerous reactivity not known.

10.2 Chemical stability: No decomposition if stored and handled properly.

10.3 Possibility of hazardous reactions: Not known.

10.4 Conditions to avoid: Direct heat or ignition sources, direct sunlight.

The closed containers may rupture with explosive force.

10.5 Incompatible materials: Strong oxidizing agents.

10.6 Hazardous decomposition products: No dangerous decomposition products are formed under

normal conditions. Hazardous combustion products: See

Section 5.

## **SECTION 11 Toxicological information**

11.1 Information on toxicological effects

Acute toxicity: No data for the product.

Oral:  $LD_{50}$  (rat) > 2000 mg/kg (based on components) Dermal:  $LD_{50}$  (rabbit) > 2000 mg/kg (based on components)

Inhalation: no data





Trade name: MOL Dynamic Moto Chain O-X moto chain spray with teflon

Version: 7 Latest revision: 25. 01. 2019 Date of issue: 16. 04. 2008 Page: 9/(15)

Components:

n-Pentane

Acute toxicity: irritation

Skin: not irritant (based on components)

Eye: not irritant (based on components)

Sensitization: not sensitising (based on components)

Other information, specific effects:

Germ cell mutagenicity: not known, resp. not mutagen (based on components)

Carcinogenicity: not known, resp. not carcinogen (based on

components)

Reproductive toxicity: not known, resp. no reproduction-damaging effect

(based on components)

STOT-single exposure: May cause drowsiness or dizziness.

STOT-repeated exposure: not classified Aspiration hazard: not classified

**SECTION 12** Ecological information

12.1 Toxicity No data available.

Aquatic organisms: Soil organisms:

Plants:

12.2 Persistence and degradability

Biodegradability: No data available.

12.3 Bioaccumulative potential No data available.



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Moto Chain O-X moto chain spray with teflon

Version: 7 Latest revision: 25. 01. 2019 Date of issue: 16. 04. 2008 Page: 10/(15)

12.4 Mobility

Mobility in soil: Adsorb to soil particles and mobility is repealed.

Mobility in water: Floats on water. The most part of the product is very

volatile.

12.5 Results of PBT and vPvB

assessment Does not contain PBT and vPvB substances.

12.6 Other adverse effects

Heavy metal content: None.

PCT, PCB and other chlorinated

hydrocarbons: Non-

Environmental effects: Toxic to aquatic life with long lasting effects.

Water hazard class (German): WGK 2 (Classification by VwVwS)

## **SECTION 13 Disposal considerations**

#### 13.1 Waste treatment methods

## Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 16 05 04\*

Gases in pressure containers (including halons) containing dangerous substances

#### Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10\*

packaging containing residues of or contaminated by dangerous substances

Disposal must be in compliance with national and local regulations.

#### Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Moto Chain O-X moto chain spray with teflon

Version: 7 Latest revision: 25. 01. 2019 Date of issue: 16. 04. 2008 Page: 11/(15)

### **SECTION 14** Transport information

#### Land transport:

14.1.	UN number:	1950
17.1.	OIN HUHHOCI.	1/30

14.2. UN proper shipping name: AEROSOLS, FLAMMABLE, N.O.S.

14.3. Transport hazard class(es): 2

Class code: 5F

14.4. Packing group: 2.114.5. Environmental hazards: yes

14.6. Special precautions for user: CV9, CV12

Limited and excepted quantities: 1 l, E0 Transport category (Tunnel Restriction Code): 2 (D)

## Waterways:

Inland waterways/ Sea transport ADN/IMDG:

14.1. UN number: 1950

14.2. UN proper shipping name: AEROSOLS, FLAMMABLE, N.O.S.

14.3. Transport hazard class(es): 2

Class code: 5F

14.4. Packing group: 2.114.5. Environmental hazards: yes

14.5. Environmental hazards:14.6. Special precautions for user:

EmS number: F-D S-U

Limited quantity: IMDG classification, section 3.4

Cartons up to 30 kg, Marking see Road transport

#### Air transport: ICAO / IATA:

14.1. UN number: 1950

14.2. UN proper shipping name: AEROSOLS, FLAMMABLE, N.O.S.

14.3. Transport hazard class(es): 2

Class code: 5F

14.4 Transport hazard class(es): -

Class code:

14.5 Environmental hazards: yes

14.6 Special precautions for user: -



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Moto Chain O-X moto chain spray with teflon

Version: 7 Latest revision: 25. 01. 2019 Date of issue: 16. 04. 2008 Page: 12/(15)

## **SECTION 15** Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the mixture. This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EC) and to Regulation (EC) 1272/2008.

15.2 Chemical safety assessment.

not available

#### **SECTION 16** Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet:

Test results of this product

Material safety data sheets of product's components

1272/2008/EC regulation, Annex XVII. of REACH

Relevant Hungarian and EU regulations

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 (CLP)

Aerosol 1 H222 based on packing + based on flash point

Aerosol 1 H229 based on packing

STOT SE 3 H336 calculated Aquatic Chronic 2 H411 calculated



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC  $\,$  MOL-LUB Ltd.

Trade name: MOL Dynamic Moto Chain O-X moto chain spray with teflon

Version: 7 Latest revision: 25. 01. 2019 Date of issue: 16. 04. 2008 Page: 13/(15)

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H281	Contains refrigerated gas; may cause cryogenic burns or injury
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
Flam. Gas 1	Flammable gas Category 1
Flam. Liq. 2	Flammable liquid Category 2
Press Gas	Refrigerated liquefied gas
Asp. Tox. 1	Aspiration hazard Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
STOT SE 3	Specific target organ toxicity — single exposure Category 3

Aquatic Chronic 2 Hazar	dous to the aquatic	environment,	Chronic Category 2	
-------------------------	---------------------	--------------	--------------------	--

#### Legend:

Ecx

Legena.	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labelling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (1272/2008/EC)
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency

Effective Concentration x%



according to regulation 1907/2006/EC (REACH) and 1272/2008/EC MOL-LUB Ltd.

Trade name: MOL Dynamic Moto Chain O-X moto chain spray with teflon

Version: 7 Latest revision: 25. 01. 2019 Date of issue: 16. 04. 2008 Page: 14/(15)

ErC50 EC50 in terms of reduction of growth rate Effective Dose x% Edx EC **European Community** European Community number EC number **ELINCS** European List of Notified Chemical Substances ES Exposure Scenario European Chemical Substances Information System **ESIS** International Agency for Research on Cancer **IARC** International Air Transport Association **IATA IMDG** International Maritime Dangerous Goods LCx Lethal Concentration x% LDx Lethal Dose x%) Halálos dózis x% Lowest Observed Adverse Effect Concentration **LOAEC** Lowest Observed Adverse Effect Level LOAEL Lowest Observed Effect Concentration LOEC Lowest Observed Effect Level LOEL **NOEC** No observed effect concentration **NOEL** No observed effect level **NLP** No-Longer Polymer No Observed Adverse Effect Level **NOAEL** Organisation for Economic Cooperation and Development **OECD PBT** Persistent Bioaccumulative and Toxic Predicted No-Effect Concentration **PNEC** parts/million ppm REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Regulations concerning the International carriage of Dangerous Goods by Rail **RID** Substance of Very High Concern **SVHC** substance of unknown or variable composition, complex reaction products or biological **UVCB** materials VOC Volatile organic compounds

#### **Revision Indicators:**

vPvB

Section	Subject of change	Date	Version	
1	Name	30.07.2008	2	
3	Composition / information on ingredients			
9	Physical and chemical properties			
1-16	Changing of regulation	25.05.2010	3	
3	Composition/information on ingredients	13.03.2012	4	
1-16	Regulatory information, other corrections			
	Revision modification according to 453/2010/EC and			
	1272/2008/EC			

Very Persistent and very Bio-accumulative





Trade name: MOL Dynamic Moto Chain O-X moto chain spray with teflon

Version: 7 Latest revision: 25. 01. 2019 Date of issue: 16. 04. 2008 Page: 15/(15)

Revision Indicators:			
Section	Subject of change	Date	Version
1	Details of the supplier of the safety data sheet, Responsible for SDS	05. 01. 2016	5
2	Other hazards		
3	Composition/information on ingredients		
4	First aid measures		
12	Ecological information		
14	Transport information		
1-16	Other corrections, revision modification according to 1272/2008/EC and 2015/830 /EC		
14	Transport information	03. 01. 2017	6
2	Hazards identification	25.01.2019	7
3	Composition/information on ingredients		
9	Physical and chemical properties		