



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL EcoClean-S engine degreaser**

Version: 7    Latest revision: 07. 11. 2022    Date of issue: 14. 12. 2009    Page: 1/(13)

### SECTION 1 Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier:

**MOL EcoClean-S engine degreaser**  
UFI: 4J90-P0CK-J00V-86RM

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: engine degreaser  
Uses advised against: application other than the above.

#### 1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company  
H-2931 Almásfüzitő, Fő út 21., Hungary  
Phone / Fax: +36 34 526 330 / +36 34 526 391  
E-mail: kenoanyag@mol.hu

Request SDS of:  
MOL-LUB Lubricant Production Trade and Service Limited Liability Company  
Customer Service Center  
H-2931 Almásfüzitő, Fő út 21., Hungary  
Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:  
MOL-LUB Ltd.  
Phone: +36 80 201 296  
e-mail: EBKHelpdesk@MOL.hu

#### 1.4 Emergency telephone number

Emergency telephone (on workdays: 07-15<sup>20</sup> h (CET)): +36 34 526 210  
Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián st. 2-6.)  
Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary).  
+36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)  
National Health Toxicological Information Service:

### SECTION 2 Hazards identification

#### 2.1 Classification of the substance or mixture

Hazard Class and Category:	Hazard statement:
Asp. Tox. 1	H304    May be fatal if swallowed and enters airways.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL EcoClean-S engine degreaser**

Version: 7    Latest revision: 07. 11. 2022    Date of issue: 14. 12. 2009    Page: 2/(13)

### 2.2 Label elements

Product identification: Trade name: **MOL EcoClean-S engine degreaser**

Hazardous component(s): Hydrocarbons, C10- C13, n-alkanes, n-alkanes, isoalkanes, cyclics, <2 % aromatics

GHS Pictogram:



Signal word: **Danger**

Hazard statement:

**H304** May be fatal if swallowed and enters airways.

Supplemental hazard information

**EUH066** Repeated exposure may cause skin dryness or cracking.

Precautionary statements – General:

**P101** If medical advice is needed, have product container or label at hand.

Precautionary statements – Prevention:

**P210** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**P273** Avoid release to the environment.

Precautionary statements – Response:

**P301 + P310** IF SWALLOWED: Immediately call a POISON CENTER or  
**+ P331** doctor/physician. Do NOT induce vomiting.

Precautionary Statements – Storage:

**P403 + P235** Store in a well-ventilated place. Keep cool.

**P405** Store locked up.

Precautionary statements – Disposal:

**P501** Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: In case of distribution for population.

Transport classification: see section 14.

By 648/2004/EC regulation:

Components: 30% and more: aliphatic hydrocarbons, less than 5%: non-ionic surfactants.

Contain: colorant.

The website, where the list of ingredients is available: [www.kenoanyag.mol.hu](http://www.kenoanyag.mol.hu)



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL EcoClean-S engine degreaser**

Version: 7    Latest revision: 07. 11. 2022    Date of issue: 14. 12. 2009    Page: 3/(13)

### 2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006, at a concentration of 0.1% or more.

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

## SECTION 3    Composition/information on ingredients

### 3.2 Mixtures

Chemical description:    Hydrocarbons with additives and colorific.

Component(s) / Hazardous component(s):

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Hydrocarbons, C10- C13, n-alkanes, n-alkanes, isoalkanes, cyclics, <2 % aromatics REACH Registr. Nr.: 01-2119457273-39	918-481-9	-	Flam. Liq. 3 Asp. Tox. 1 (Note J)	H226 H304 EUH066	90 – 97
Fatty alcohol polyglycoether, ethoxylated REACH Registr. Nr.: 01-2119489407-26	500-236-9	68920-66-1	Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 3	H315 H400 (M=1) H412	<10

Note J:

The harmonised classification as a carcinogen or mutagen applies unless it can be shown that the substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7), in which case a classification in accordance with Title II of this Regulation shall be performed also for those hazard classes.

The full text of each relevant H- phrase, Hazard classes and cat. see in Section 16.

## SECTION 4    First aid measures

### 4.1 Description of first aid measures

General information:    Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation:    Remove the affected person to fresh air. Get medical help on site. Give supplemental oxygen, if breathing is difficult. If breathing has stopped, apply artificial breathing or breathing apparatus.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL EcoClean-S engine degreaser**

Version: 7    Latest revision: 07. 11. 2022    Date of issue: 14. 12. 2009    Page: 4/(13)

- Skin contact: Wash skin with large amounts of water, use soap. Remove contaminated clothing. In case of persistent irritation, get medical attention.  
Accidental high-velocity injection under the skin of materials of this type may result in serious injury. Seek medical attention immediately.
- Eye contact: Flush eyes with plenty of water for 10-15 minutes. In case of persistent irritation, get medical attention.
- Ingestion: **Do not** induce vomiting. Get medical attention immediately.

Protection of first-aid person: No individual specifications.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Ingestion: impaired consciousness, disorientation  
Inhalation: headache, dizziness, vomiting, altered mental status  
Skin: redness, irritation.  
Eye: slight irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- In case of ingestion.  
The initial wound at the injection site may not appear to be serious at first; but, if left untreated, could result in disfigurement or amputation of the affected part.

## SECTION 5 Fire-fighting measures

Fire hazards:  
Combustible.

#### 5.1 Extinguishing media

Suitable extinguishing media:  
Foam, carbon dioxide, dry chemical powder, sand, earth, water spray.

Unsuitable extinguishing media:  
Full water jet.

#### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:  
On burning, carbon monoxide, carbon dioxide, various hydrocarbons and soot can be formed.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL EcoClean-S engine degreaser**

Version: 7    Latest revision: 07. 11. 2022    Date of issue: 14. 12. 2009    Page: 5/(13)

### 5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations (self-contained breathing apparatus).

Further information:

Vapours may accumulate in low or confined areas, travel considerable distance to source of ignition and flash back.

Collect contaminated fire-fighting water separately. It must not enter the sewage system.

Contaminated extinguishing water must be disposed of in accordance with official regulations.

## SECTION 6 Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.

Danger of slipping on leaked out/spilled product.

Keep unnecessary personnel away considering the direction of wind.

### 6.2 Environmental precautions:

Prevent spills from entering into natural water, soil and drains by containing the liquid.

Notify relevant authority.

### 6.3 Methods and material for containment and cleaning up

On soil:        All kind of ignition sources should be removed. Ensure adequate ventilation. Stop leak if you can do so without risk. Recover free liquid by pumping. Contain spilled liquid with sand, earth or other suitable absorbents. Dispose of according to local regulations.

On water:      Notify local authorities according to regulations.

### 6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

## SECTION 7 Handling and storage

### 7.1 Precautions for safe handling

Keep general measures applied for normal operations with chemicals and flammable liquids.

Ensure adequate ventilation.

Avoid to accumulate electrostatic charge. Use non-sparking tools.

Avoid splashing product.

Avoid contact with skin and eyes, inhalation of vapours, aerosol, mist.



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL EcoClean-S engine degreaser**

Version: 7    Latest revision: 07. 11. 2022    Date of issue: 14. 12. 2009    Page: 6/(13)

Wash hands before breaks and at end of work.  
Take off contaminated clothing and wash it before reuse.  
When using do not eat or drink and do not smoke.  
Handling temperature: not known.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep away from radiant heat, open flame and strong oxidizing agents.

Protect from direct sunshine.

Prevent electrostatic discharges.

Empty containers retain product residue (solid, liquid, and/or vapour) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition.

Storable in containers made of carbon steel, stainless steel and most metals.

Storage temperature: 5 - 30°C.

### 7.3 Specific end use(s)

Engine degreaser.

## SECTION 8 Exposure controls / personal protection

### 8.1 Control parameters: -

### 8.2 Exposure controls

Engineering control measures:

Adequate ventilation.

Personal protection:

(a) Eye/face protection    Protective goggles, if splashes may occur (EN 166).

(b) Skin protection

(i) Hand protection    Protecting gloves: should be solvent-resistant (e.g. nitrile rubber, penetration time >480 min). General requirements of gloves are described in standard EN 374.

Note: Manufacturer's directions for use and the conditions of application should be observed.

(ii) Other    Protective clothing.

(c) Respiratory protection    Breathing apparatus not required in case of adequate ventilation. In case of inadequate ventilation use suitable mask with filter typ A (EN 141).

(d) Thermal hazards    No data.

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.



# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL EcoClean-S engine degreaser**

Version: 7    Latest revision: 07. 11. 2022    Date of issue: 14. 12. 2009    Page: 7/(13)

## SECTION 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- |   |  |
|---|--|
| a) Physical state:  | liquid   |
| b) Colour:  | light green, clear   |
| c) Odour:   | light odor of gasoline   |
| d) Melting point/freezing point (Pour point) (ISO 3016):          | not available  |
| e) Boiling point or initial boiling point and boiling range:      | 180 - 220°C  |
| f) Flammability:  | combustible  |
| g) Lower and upper explosion limit:                               | Product is not explosive. However, formation of explosive air/steam mixtures is possible.<br>0.6 vol% / 6.5 vol% |
| h) Flash point (PM) (EN ISO 2719):                                | typ. 61°C  |
| i) Auto-ignition temperature:                                     | not self-igniting  |
| j) Decomposition temperature:                                     | not available  |
| k) pH:  | not applicable   |
| l) Kinematic viscosity at (DIN EN ISO 3104):<br>40°C:             | not available  |
| 100°C:  | not available  |
| m) Solubility   |  |
| Solubility in water at 20°C:                                      | form emulsion like milk  |
| Solubility in other solvents:                                     | not available  |
| n) Partition coefficient n-octanol/water (log value):             | not available  |
| o) Vapour pressure at 20°C:                                       | negligible   |
| p) Density and/or relative density at 15°C<br>(DIN EN ISO 12185): | 0.780 – 0.810 g/cm <sup>3</sup>  |
| q) Relative vapour density:                                       | not available  |
| r) Particle characteristics:                                      | not available  |

### 9.2 Other information

- |                       |             |
|-----------------------|-------------|
| Oxidizing properties: | not oxidize |
| Ignition point (COC): | typ. 250°C  |

## SECTION 10 Stability and reactivity

- |  |  |
|--|--|
| 10.1 Reactivity:                         | Dangerous reactivity not known.                  |
| 10.2 Chemical stability:                 | No decomposition if stored and handled properly. |
| 10.3 Possibility of hazardous reactions: | Not known  |



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL EcoClean-S engine degreaser**

Version: 7    Latest revision: 07. 11. 2022    Date of issue: 14. 12. 2009    Page: 8/(13)

- 10.4 Conditions to avoid: Direct heat or ignition sources.  
10.5 Incompatible materials: Strong oxidizing agents.  
10.6 Hazardous decomposition products: No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.

### SECTION 11 Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

*Components:*

*Hydrocarbons, C10- C13, n-alkanes, n-alkanes, isoalkanes, cyclics, <2 % aromatics (EC: 918-481-9)*

Oral:	LD <sub>50</sub> (rat)	5000	mg/kg
Dermal:	LD <sub>50</sub> (rabbit)	3160	mg/kg

- Skin corrosion/irritation: Based on available data, the classification criteria are not met.  
Serious eye damage/irritation: Based on available data, the classification criteria are not met.  
Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.  
Germ cell mutagenicity: Based on available data, the classification criteria are not met.  
Carcinogenicity: Based on available data, the classification criteria are not met.  
Reproductive toxicity: Based on available data, the classification criteria are not met.  
STOT-single exposure: Based on available data, the classification criteria are not met.  
STOT-repeated exposure: Based on available data, the classification criteria are not met.  
Aspiration hazard: May be fatal if swallowed and enters airways.

#### 11.2 Information on other hazards

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

### SECTION 12 Ecological information

#### 12.1 Toxicity

No data for the product.

*Components:*

*Hydrocarbons, C10- C13, n-alkanes, n-alkanes, isoalkanes, cyclics, <2 % aromatics (EC: 918-481-9)*

Aquatic organisms:	10 - 100	mg/L
--------------------	----------	------





## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL EcoClean-S engine degreaser**

Version: 7    Latest revision: 07. 11. 2022    Date of issue: 14. 12. 2009    Page: 9/(13)

### 12.2 Persistence and degradability

Biodegradability:

*Fatty alcohol polyglycoether, ethoxylated (CAS: 68920-66-1):*    73 % (OECD 301 B)

### 12.3 Bioaccumulative potential

*Hydrocarbons, C10- C13, n-alkanes, n-alkanes, isoalkanes, cyclics, < 2 % aromatics (EC: 918-481-9):*    No data for the product.  
Log Pow 2.1 – 6 (Literature)  
Log Kow 5.5 – 6 (calculated)

### 12.4 Mobility in soil

Mobility in water:    Evaporates easily from the water.  
Evaporates easily from the soil. If leaked on soil the material reaches ground water, soluble components may easily spread.

### 12.5 Results of PBT and vPvB assessment

Does not contain PBT and vPvB substances, at a concentration of 0.1% or more.

### 12.6 Endocrine disrupting properties

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

### 12.7 Other adverse effects

Environmental effects:    Large spills may be hazardous to the environment.  
Water hazard class (German):    WGK 1 (Classification by AwSV)

## SECTION 13 Disposal considerations

### 13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 14 06 03\*

Other solvents and solvent mixtures.

Waste Identification Code: 20 01 29\*

Detergents containing dangerous substances.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL EcoClean-S engine degreaser**

Version: 7    Latest revision: 07. 11. 2022    Date of issue: 14. 12. 2009    Page: 10/(13)

### Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10\*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

### Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

## SECTION 14    Transport information

### Land transport:

Road/ Railway

ADR/RID:

14.1.	UN number or ID number:	3295
14.2.	UN proper shipping name:	LIQUID HYDROCARBONS
14.3.	Transport hazard class(es):	3
	Class code:	F1
14.4.	Packing group:	III
	Hazard label:	3
14.5.	Environmental hazards:	-
14.6.	Special precautions for user:	
	Kemmler Nr.:	30

### Waterways:

Inland waterways/ Sea transport    ADN/IMDG:    Not apply to the product.

Air transport:    ICAO / IATA:    Not apply to the product.

## SECTION 15    Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  
This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008.  
Seveso category: not classified.

15.2 Chemical safety assessment.  
not available



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL EcoClean-S engine degreaser**

Version: 7    Latest revision: 07. 11. 2022    Date of issue: 14. 12. 2009    Page: 11/(13)

### SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 (CLP)

Asp. Tox. 1    H304    calculation method

*The full text of each relevant Hazard classes and cat. and H-phrase in Section 3.:*

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
Flam. Liq. 3	Flammable liquid Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
Aquatic Acute 1	Hazardous to the aquatic environment, Acute Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment, Chronic Category 3

#### Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labelling
CAS	Chemical Abstracts Service



# SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL EcoClean-S engine degreaser**

Version: 7    Latest revision: 07. 11. 2022    Date of issue: 14. 12. 2009    Page: 12/(13)

CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ec <sub>x</sub>	Effective Concentration x%
ErC <sub>50</sub>	EC <sub>50</sub> in terms of reduction of growth rate
Ed <sub>x</sub>	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC <sub>x</sub>	Lethal Concentration x%
LD <sub>x</sub>	Lethal Dose x%)
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

## Revision Indicators:

Section	Subject of change	Date	Version
3	Composition / information on ingredients	11. 02. 2010	2
9	Physical and chemical properties		



## SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC **MOL-LUB Ltd.**

Trade name: **MOL EcoClean-S engine degreaser**

Version: 7    Latest revision: 07. 11. 2022    Date of issue: 14. 12. 2009    Page: 13/(13)

### Revision Indicators:

Section	Subject of change	Date	Version
1	Product name	27. 04. 2010	3
2 3 9 12 1-16	Hazards identification. Composition/information on ingredients. Physical and chemical properties Ecological information Regulatory information, other corrections. Revision modification according to 1272/2008/EC and 453/2010/EC	11. 09. 2012	4
1 1-16	Details of the supplier of the safety data sheet, Responsible for SDS Other corrections, revision modification according to 2015/830 /EC	05. 01. 2016	5
2.2 3	Label elements Composition/information on ingredients.	22. 03. 2019	6
1-16	Revision modification according to 2020/878/EU	07. 11. 2022	7