

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Neoma NH 2 calcium complex lubricating grease**

Version: 7 Latest revision: 16. 12. 2022 Date of issue: 20. 06. 2007 Page: 1/(16)

Section 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

MOL Neoma NH 2 calcium complex lubricating grease

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: calcium complex lubricating grease

Uses advised against: application other than the above.

1.3 Details of the supplier of the safety data sheet:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 34 526 330 / +36 34 526 391

E-mail: kenoanyag@mol.hu

Request SDS of:

MOL-LUB Lubricant Production Trade and Service Limited Liability Company

Customer Service Center

H-2931 Almásfüzitő, Fő út 21., Hungary

Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS:

MOL-LUB Ltd.

Phone: +36 80 201 296

e-mail: EBKHelpdesk@MOL.hu

1.4 Emergency telephone number

Emergency telephone (on workdays: 07-15²⁰ h (CET)): +36 34 526 210

Health Toxicological Information Service (ETTSZ 1097 Budapest, Albert Flórián st. 2-6.)

Tel.: +36 80 201 199 (0-24 h, free number, can only be called from Hungary).

+36 1 476 6464 (0-24 h, can be called for a normal fee - also from abroad)

National Health Toxicological Information Service:

Section 2 Hazards identification

2.1 Classification of the substance or mixture

Hazard Class and Category: Hazard statement:

Not classified.

-

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Neoma NH 2 calcium complex lubricating grease**

Version: 7 Latest revision: 16. 12. 2022 Date of issue: 20. 06. 2007 Page: 2/(16)

2.2 Label elements

Product identification:

Trade name: **MOL Neoma NH 2 calcium complex lubricating grease**

Hazardous components: -

Pictogram: not required

Signal word: not required

Hazard statement:

not required

Supplemental hazard information:

EUH208 Contains Amines, C10-14-tert-alkyl. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Precautionary statements – General: -

Precautionary statements – Prevention:

P273 Avoid release to the environment.

Precautionary statements – Response: -

Precautionary statements – Storage: -

Precautionary statements – Disposal:

P501 Dispose of contents/container in accordance with national regulation.

Other liabilities for labelling:

Tactile warning of danger: Not required.

Transport classification: see section 14.

2.3 Other hazards

The product does not contain any PBT or vPvB substance according to annex XIII of regulation (EC) 1907/2006, at a concentration of 0.1% or more.

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Neoma NH 2 calcium complex lubricating grease**

Version: 7 Latest revision: 16. 12. 2022 Date of issue: 20. 06. 2007 Page: 3/(16)

Section 3 Composition/information on ingredients

3.2 Mixtures

Chemical description: Mineral oil based consistent lubricant containing complex calcium soap and additives.

Component / Hazardous component(s):

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
Distillates (petroleum), solvent-dewaxed heavy paraffinic* REACH Registr. Nr.: 01-2119471299-27	265-169-7	64742-65-0	- (Note L)	-	max. 90
Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated* REACH Registr. Nr.: 01-2119489969-06	309-877-7	101316-72-7	- (Note L)	-	max. 30
Residual oils (petroleum), solvent-dewaxed* REACH Registr. Nr.: 01-2119480472-38	265-166-0	64742-62-7	- (Note L)	-	max. 20
Lubricating oils (petroleum), C >25, solvent-extd., deasphalted, dewaxed, hydrogenated* REACH Registr. Nr.: 01-2119486948-13	309-874-0	101316-69-2	- (Note L)	-	max. 10
Distillates (petroleum), hydrotreated heavy naphthenic* REACH Registr. Nr.: 01-2119467170-45	265-155-0	64742-52-5	- (Note L)	-	max. 10
Amines, C10-14-tert-alkyl REACH Registr. Nr.: 01-2119456798-18	701-175-2	-	Acute Tox. 4 Acute Tox. 3 Acute Tox. 2 Skin Corr. 1B Eye Dam. 1 Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1	H302 H311 H330 H314 H318 H317 H400 (M=1) H410 (M=1)	max. 0,03



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Neoma NH 2 calcium complex lubricating grease**

Version: 7 Latest revision: 16. 12. 2022 Date of issue: 20. 06. 2007 Page: 4/(16)

Name	EC number	CAS number	Hazard classes and cat.	Hazard statements	Conc. % (m/m)
(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines REACH Registr. Nr.: 01-2119473797-19	627-034-4	-	Acute Tox. 4 Asp. Tox. 1 Skin Corr. 1B Eye Dam. 1 STOT SE 3 STOT RE 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H304 H314 H318 H335 H373 H400 (M=10) H410 (M=10)	max. 0,02

*: with exposure limit

Note L:

The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.

Section 4 First aid measures

4.1 Description of first aid measures

General information: Never give anything by mouth to an unconscious person, or never induce vomiting.

Inhalation: Remove the affected person to fresh air. Seek medical attention.

Skin contact: Remove contaminated clothing. Wash with plenty amount of water, using soap. In case of persistent irritation, get medical advice.

Eye contact: Flush eyes with large amounts of water for at least 10-15 minutes. In case of persistent irritation, get medical advice.

Ingestion: If swallowed, give drink salted lukewarm water. Induce vomiting. Get medical attention.

Protection of first-aid person: No individual specifications.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic reaction.

Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Neoma NH 2 calcium complex lubricating grease**

Version: 7 Latest revision: 16. 12. 2022 Date of issue: 20. 06. 2007 Page: 5/(16)

4.3 Indication of any immediate medical attention and special treatment needed
Not required.

Section 5 Fire-fighting measures

Fire hazards:
Combustible.

5.1 Extinguishing media

Suitable extinguishing media:
Sand, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media:
Full water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products:
On burning, carbon monoxide, carbon dioxide, sulphur oxides, phosphor oxides, various hydrocarbons and soot can be formed.

5.3 Advice for fire-fighters

Special protective equipment:
According to the existing fire-fighting regulations.

Further information:

Collect contaminated fire-fighting water separately. It must not enter the sewage system.
Contaminated extinguishing water must be disposed of in accordance with official regulations.

Section 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: see Section 8.
Danger of slipping on leaked out/spilled product.

6.2 Environmental precautions:

Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Neoma NH 2 calcium complex lubricating grease**

Version: 7 Latest revision: 16. 12. 2022 Date of issue: 20. 06. 2007 Page: 6/(16)

6.3 Methods and material for containment and cleaning up

On soil: Take up spilled product with shovel or scoop. Residuals should be cleaned up with cloths and/or sawdust. Dispose of the collected material as hazardous waste, according to local regulations.

On water: Confine the spillage. Remove from surface by skimming. Notify local authorities according to regulations.

6.4 Reference to other sections

Personal precautions: see section 8.

Waste treatment methods: see section 13.

Section 7 Handling and storage

7.1 Precautions for safe handling

General measures for handling lubricant greases should be observed.

Avoid splashing the product.

Avoid contact with skin and eyes.

Wash hands before breaks and at end of work.

Take off contaminated clothing and wash it before reuse.

After splashing floor may be slippery, use care to avoid falling, contain spills immediately.

When using do not eat, drink or smoke.

Handling temperature: not available.

7.2 Conditions for safe storage, including any incompatibilities

Store in dry, well-ventilated place in original, tightly closed containers.

Keep away from direct heat, ignition sources and strong oxidizing agents.

Recommended storage temperature: max. 45°C.

7.3 Specific end use(s)

Calcium complex lubricating grease.

Section 8 Exposure controls / personal protection

8.1 Control parameters: -



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Neoma NH 2 calcium complex lubricating grease**

Version: 7 Latest revision: 16. 12. 2022 Date of issue: 20. 06. 2007 Page: 7/(16)

8.2 Exposure controls

Engineering control measures:

Not required.

Personal protection:

- | | |
|----------------------------|--|
| (a) Eye/face protection | Protective goggles not required. |
| (b) Skin protection | |
| (i) Hand protection | Oil resistant gloves (EN 374, Breakthrough time > 480 min, PK power level: 6; PR flow rate: 0).
Note: Manufacturer's directions for use and the conditions of application should be observed. |
| (ii) Other | Protective clothing (oil resistant). |
| (c) Respiratory protection | Breathing apparatus not required. |
| (d) Thermal hazards | No data. |

Environmental exposure controls:

Do not discharge into drains/surface waters/groundwater.

Section 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|--|--|
| a) Physical state: | consistent
(During long-time storage, oil separation may occurs on the surface) |
| b) Colour: | red, homogenous |
| c) Odour: | characteristic |
| d) Melting point/freezing point (Dropping point) (ISO 3016): | not available |
| e) Boiling point or initial boiling point and boiling range (DIN 51356): | not available |
| f) Flammability: | combustible |
| g) Lower and upper explosion limit: | not explosive |
| h) Flash point (COC) (EN ISO 2592): | > 200°C (base oil) |
| i) Auto-ignition temperature: | not available |
| j) Decomposition temperature: | not available |
| k) pH: | not applicable |
| l) Kinematic viscosity (EN ISO 3104) | |
| at 40°C: | 100 mm ² /s (base oil mixture) |
| at 100°C: | not available |



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Neoma NH 2 calcium complex lubricating grease**

Version: 7 Latest revision: 16. 12. 2022 Date of issue: 20. 06. 2007 Page: 8/(16)

- m) Solubility
Solubility in water: practically insoluble in water
Solubility in other solvents: not available
- n) Partition coefficient n-octanol/water (log value): not available
- o) Vapour pressure at 20°C: negligible
- p) Density and/or relative density at 15°C (EN ISO 12185): not available
- q) Relative vapour density: not available
- r) Particle characteristics: not available

9.2 Other information

- Oxidizing properties: not oxidize
- Dropping point (ISO 2176): above 300°C
- Penetration after working – 60 c, at 25°C (0.1 mm) (ISO 2137): typ. 280

Section 10 Stability and reactivity

- 10.1 Reactivity: Dangerous reactivity not known.
- 10.2 Chemical stability: No decomposition if stored and handled properly.
- 10.3 Possibility of hazardous reactions: Not known
- 10.4 Conditions to avoid: Direct heat or ignition sources, open flames.
- 10.5 Incompatible materials: Strong oxidizing agents.
- 10.6 Hazardous decomposition products: No dangerous decomposition products are formed under normal conditions. Hazardous combustion products: See Section 5.

Section 11 Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

Oral:	LD ₅₀ (rat)	> 2000 mg/kg	(based on components)
Dermal:	LD ₅₀ (rabbit)	> 2000 mg/kg	(based on components)

Components:

Distillates (petroleum), solvent-dewaxed heavy paraffinic (CAS: 64742-65-0)

Oral:	LD ₅₀ (rat)	> 5000 mg/kg	(literature data)
Dermal:	LD ₅₀ (rabbit)	> 2000 mg/kg	(literature data)
Inhalation:	LC ₅₀ (rat)	> 5.53 mg/L (4 h)	(literature data)



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Neoma NH 2 calcium complex lubricating grease**

Version: 7 Latest revision: 16. 12. 2022 Date of issue: 20. 06. 2007 Page: 9/(16)

Residual oils (petroleum), solvent-dewaxed (CAS: 64742-62-7)

Oral:	LD ₅₀ (rat)	> 5000 mg/kg	(OECD 401)
Dermal:	LD ₅₀ (rabbit)	> 5000 mg/kg	(OECD 402)
Inhalation:	LC ₅₀ (rat)	> 5.53 mg/L (4 h)	(OECD 403)

Lubricating oils (petroleum), C24-50, solvent-extd., dewaxed, hydrogenated (CAS: 101316-72-7)

Oral:	LD ₅₀ (rat)	> 5000 mg/kg	
Dermal:	LD ₅₀ (rabbit)	> 2000 mg/kg	
Inhalation:	LC ₅₀ (rat)	> 5.53 mg/L	

Lubricating oils (petroleum), C >25, solvent-extd., deasphalted, dewaxed, hydrogenated (CAS: 101316-69-2)

Oral:	LD ₅₀ (rat)	> 5000 mg/kg	
Dermal:	LD ₅₀ (rabbit)	> 2000 mg/kg	
Inhalation:	LC ₅₀ (rat)	> 5.53 mg/L	

Distillates (petroleum), hydrotreated heavy naphthenic (CAS: 64742-52-5)

Oral:	LD ₅₀ (rat)	> 5000 mg/kg	(API 1986a)
Dermal:	LD ₅₀ (rabbit)	> 5000 mg/kg	(API 1982)
Inhalation:	LC ₅₀ (rat)	> 5.53 mg/L (4 h)	(EMBSI 1988a)

Amines, C10-14-tert-alkyl (EC: 701-175-2)

Oral:	LD ₅₀ (rat)	612 mg/kg	(OECD 401)
Dermal:	LD ₅₀ (rat)	251 mg/kg	(OECD 402)
Inhalation (vapours):	LC ₅₀ (rat)	1.19 mg/L (4 h)	(OECD 403)

(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)-alkylamines (EC: 627-034-4)

Oral:	LD ₅₀ (rat)	1689 mg/kg	(OECD 401)
-------	------------------------	------------	------------

Skin corrosion/irritation:	Based on available data, the classification criteria are not met.
Serious eye damage/irritation:	Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation:	Based on available data, the classification criteria are not met.
Germ cell mutagenicity:	Based on available data, the classification criteria are not met.
Carcinogenicity:	Based on available data, the classification criteria are not met.
Reproductive toxicity:	Based on available data, the classification criteria are not met.
STOT-single exposure:	Based on available data, the classification criteria are not met.
STOT-repeated exposure:	Based on available data, the classification criteria are not met.
Aspiration hazard:	Based on available data, the classification criteria are not met.

11.2 Information on other hazards

The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Neoma NH 2 calcium complex lubricating grease**

Version: 7 Latest revision: 16. 12. 2022 Date of issue: 20. 06. 2007 Page: 12/(16)

12.6 Endocrine disrupting properties	The mixture does not contain any substance with endocrine disrupting properties, at a concentration of 0.1% or more.
12.7 Other adverse effects	
Heavy metal content:	None.
PCT, PCB and other chlorinated hydrocarbons:	None.
Environmental effects:	Large spillages may be hazardous to the environment.
Water hazard class (German):	WGK 1(Classification by AwSV)

Section 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 12 01 12*

Spent waxes and fats.

Disposal must be in compliance with national and local regulations.

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

Section 14 Transport information

Land transport:

Road/ Railway

ADR/RID:

Not classified.



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Neoma NH 2 calcium complex lubricating grease**

Version: 7 Latest revision: 16. 12. 2022 Date of issue: 20. 06. 2007 Page: 13/(16)

14.1 UN number or ID number:	Not classified.
14.2 UN proper shipping name:	Not classified.
14.3 Transport hazard class(es):	Not classified.
14.4 Packing group:	Not classified.
14.5 Environmental hazards:	Not classified.
14.6 Special precautions for user:	Not classified.

Waterways:

Inland waterways/ Sea transport ADN/IMDG: Not apply to the product.

Air transport: ICAO / IATA: Not apply to the product.

Section 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2020/878/EU) and to Regulation (EC) 1272/2008.
Seveso category: not classified.

15.2 Chemical safety assessment.
not available

Section 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 (CLP)
not classified

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Neoma NH 2 calcium complex lubricating grease**

Version: 7 Latest revision: 16. 12. 2022 Date of issue: 20. 06. 2007 Page: 14/(16)

The full text of each relevant Hazard classes and cat., H- phrase in Section 3.:

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Acute Tox. 4	Acute toxicity Category 4
Asp. Tox. 1	Aspiration hazard Category 1
Acute Tox. 3	Acute toxicity Category 3
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Sens. 1A	Respiratory/skin sensitization Category 1A
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Acute Tox. 2	Acute toxicity Category 2
STOT SE 3	Specific target organ toxicity — single exposure Category 3
STOT RE 2	Specific target organ toxicity – single exposure Category 2.
Aquatic Acute 1	Hazardous to the aquatic environment Category 1.
Aquatic Chronic 1	Hazardous to the aquatic environment Category 1.

Legend:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labelling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (1272/2008/EC)
CMR	Carcinogenic, Mutagenic or toxic to Reproduction
COD	Chemical Oxygen Demand
CSA	Chemical Safety Assessment



SAFETY DATA SHEET

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Neoma NH 2 calcium complex lubricating grease**

Version: 7 Latest revision: 16. 12. 2022 Date of issue: 20. 06. 2007 Page: 15/(16)

CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Chemicals Agency
Ec _x	Effective Concentration x%
Er ₅₀	EC ₅₀ in terms of reduction of growth rate
Ed _x	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC _x	Lethal Concentration x%
LD _x	Lethal Dose x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

Revision Indicators:

Section	Subject of change	Date	Version
2	Hazards identification	10. 10. 2011	2
3	Composition/information on ingredients		
12	Ecological information		
16	Other information		
1-16	Revision modification according to 453/2010/EC		

SAFETY DATA SHEET



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name: **MOL Neoma NH 2 calcium complex lubricating grease**

Version: 7 Latest revision: 16. 12. 2022 Date of issue: 20. 06. 2007 Page: 16/(16)

Revision Indicators:

Section	Subject of change	Date	Version
3 1-16	Composition/information on ingredients Revision modification according to 1272/2008/EC	01. 08. 2012	3
1 2 3 5 9 14 1-16	Details of the supplier of the safety data sheet, Responsible for SDS Other hazards Composition/information on ingredients Fire hazards Physical and chemical properties Transport information Other corrections, revision modification according to 2015/830 /EC	10. 06. 2015	4
1-16	Other corrections	01. 06. 2016	5
2 3 1-16	Hazards identification Composition/information on ingredients Other corrections	06. 06. 2019	6
1-16	Revision modification according to 2020/878/EU. Full revision due to composition change.	16. 12. 2022	7